This presentation premiered at WaterSmart Innovations

watersmartinnovations.com





A LOOK INTO WATER CONSERVATION: AN EVALUATION OF LANDSCAPE WATER REGULATIONS

JOE SCHNEIDER ASLA joeschneider9@gmail.com WILLIAM (CHIP) WINSLOW, FASLA, RLA chipwin@ksu.edu The souls

Introduction

Intent

Methods

Results

Conclusions







Water Conservation

Conservation Programs

· Price and Non-Price Programs

Landscape Water Conservation

- Common target for both price and non-price conservation programs
- Over 50% of municipal water deliveries are used for landscape irrigation in Colorado
- A savings of 30% can be achieved by utilizing proven design, installation and maintenance practices

Study Development

Effectiveness

Current codes and policies

Developing Future Methodology

- Framework for future evaluations
- Application to various environments and regulations
- · A tool for future water savings

A LOOK INTO WATER CONSERVATION





Ongoing Question

Are landscape regulations functioning as effective tools for water conservation in landscape common areas?

Research Context

Case study based in Colorado Springs. CO that evaluated the effectiveness of three differing landscape regulations.

Landscape regulations, in three Colorado Springs developments, evaluated within four categories:

- Regulation Strength
- Design Compliance
- Installation/Maintenance Compliance
- Water Use Effectiveness

Intent

- Provide a viable framework to evaluate the effectiveness of water regulations as conservation tools.
- Identify the strength and weaknesses of the landscape regulations in terms of design, landscape installation, and landscape maintenance.
- Create a useful tool for continued stewardship of the land.

Introduction

Intent

Methods

Results

Conclusions

(Description)

Introduction

Intent

Methods

Results

Conclusions





Case Study Methodology

Regulation Selection

- Colorado Springs, Colorado
- La Plata Communities: Briargate Development
- 1998 regulation change
- 2003 change in philosophy and development regulations

Case Study Site Selection

- Landscape tract (landscaped right of ways, medians, and entry gardens)
- Controlled variables
- Classified plant communities

Data & Document Collection

- Landscape and irrigation plans
- Codes, policies, and covenants
- Historical wateruse data


Introduction

Intent

Methods

Results

Conclusions



Case Study Methodology

Document Collection

· Availability of Information

Site Establishment

- Identify regulation boundaries
- Irrigation meter location and coverage
- Selection of landscape tracts
- Identify square footage

Data Collection

- Availability of data
- Organization

Selected Regulations and Sites

- Briargate Business Campus
 City Landscape Regulations and Development Guidelines before 1998
- Pine Creek Community
 City Landscape Regulations after 1998
- Cordera Community
 City Landscape Regulations after 1998 +
 Community Guidelines

A LOOK INTO WATER CONSERVATION

SITE SELECTION

For the thesis research, a case study in Colorado Springs, Colorado was developed. The case study concentrated on the evaluation of landscape regulations and representative landscape tracts within three master planned communities.

A single developer, La Plata Communities, was used in the study to help contriol the number of variables that could contribute to landscape water use in the landscape tracts and to expedite the document collection portion of the study.





REGULATION EVALUATION

The first evaluation of the study measured the strength of selected regulations using Xeriscape principles as the tool of measure. The evaluation was based on a scoring system which awarded points to regulations based on two factors.

The first factor was the use of Xeriscape principles as a tool for conservation. One point was awarded for every Xeriscape principle cited in the text of the regulation. The citations can be either recommendations or requirements that encourage the use of Xeriscape principles when designing, installing, and maintaining land-scape tracts.

The second factor in the evaluation is the enforcement of the Xeriscape principles cited within the landscape regulations. Enforcement of the principle could be carried out through an approval or inspection process



REGULATION STRENGTHS AND WEAKNESSES

1

1

1

1

1

1

1

1

1

1

1

1

Breakdown of regulation strength and weaknesses into xeriscape categories.

Observations of regulation application in designed and built landscape.

DESIGN EVALUATION

The second evaluation in the study measured the level of regulation compliance expressed in the landscapes design. The level of regulation compliance was based on an evaluation of landscape documents, interviews and on-site observations.

INSTALLATION/MAINTENANCE

EVALUATION

The third evaluation in the study measured the level of regulation compliance expressed in the built and maintained landscape. The level of regulation compliance was based on an evaluation of landscape documents, interviews and on-site observations.



LANDSCAPE STRENGTHS AND WEAKNESSES

Record of landscape tract field observations and design critique.

1

1

1

1

ı

ı

1

1

1

Analysis of overall scoring in Design and Installation/Maintenance categories.


WATER USE EVALUATION

The fourth evaluation compared the individual landscape tracts to one another and to the water use of a traditional landscape. The first three categories established the effectiveness of regulations as tools for producing water conserving landscapes. The third category evaluated if the landscape tracts that were designed and built in compliance to the Xeriscape landscape regulations were actually conserving water.

ANALYSIS AND RESULTS

After determining the water use for a given landscape tract in the fourth category of evaluation the results from the first three categories were analyzed to determine why there was or why there wasn't water savings. This assessment will be the basis for the studies recommendations.

Preliminary results confirm that landscapes developed under the more restrictive landscape regulations are both xeric in nature and water conserving. The study confirms that xeric landscape tracts in housing developments resulted from progressive landscape regulations implemented by the city and community boards.



LANDSCAPE REGULATION RECOMMENDATIONS

Using qualitative analysis of strengths, weaknesses, and historical water use to compile a list of recommendations for La Plata Communities and other municipalities.

Case Study Methodology

A LOOK INTO WATER CONSERVATION

Introduction

Intent

Methods

Results

Conclusions



Evaluation

- Four Categories of Evaluation
 Each category representing one
 of the four steps necessary for the
 development and maintenance of
 water efficient landscapes:
 - 1. Regulations
 - Design
 - 3. Installation/Maintenance
 - Water Use

Scoring Analysis

- Scoring system based on of the proven methods of Xeriscape. Nine resulting categories:
 - 1. Planning and Design
 - Group Plants Accordingly/Hydrozoning
 - 3. Appropriate Plant Selection
 - Limit Turf Areas to Those Needed for Practical Uses
 - 5. Use Efficient Irrigation Systems
 - 6. Schedule Irrigation Wisely
 - 7. Soil Analysis and Improvement
 - 8. Use of Mulch
 - 9. Provide Regular Maintenance

											- 4	Water	-Wis	e Lai	ndso		g Can	egor	es									
Landscape Tract Regulations	Pi	arming Design		A	oup Pla cordin phrocor	ply/		opriate Selectio		Thos	Turi Aa e Needi ellevii U	led for		of Ciffs for Sys			dule into Wively			nalyse povers		Us	e of Ma	ilch		ide Na infanat		Total Score
	c	1	- 1		1	- 1	C	- 1	- 1	C	1		C	- 1	- 1	c	- 1	- 1	C		- 1	C		- 1	C	1	- 1	
Pine Creek City Regulations After 1998	- 3	1	1	1	- 1	1	- 21	- 1	- 0	2	- 0	.0	1	1	- 2	- 2	- 0	- 0	- 3	2	.0	2	- 0	- 0	-2	0	- 1	29
Cordera City Regulations Alter 1998 + Development Regulations	s	2	1	1	1	1	2	1	D	2	o	D	٤	1	2	2	a	a	4	2	a	2	a	a	2	a	1	56
Briargate Business Campus City Regulations Before 1998	1	2	1	1	ь	D	0	0	0	0	0	0	1	0	0	0	a	a	0	a	a	o	a	a	a	a	a	

Sittingth at Regulation scoring
1 point for offsition (C)
1 point for required estimation (E)
1 point for required estimation (E)

Cordera Regulation Evaluation

Planning and Design

- Guideline 2.2

Plans and specifications showing the nature, kind, shape, color, size, materials and location of all proposed exterior structures and improvements (including landscaping) shall be submitted to the DRB or MC for review and approval PRIOR TO INSTALLATION. Incomplete or illegible submittals will be returned to the applicant without review. Except for the conversion of garages to living space, any interior of a residence may be modified without DRB or MC approval.

- Guideline 2.6

Charles Company

Introduction

Intent

Methods

Results

Conclusions

If and when submission of plans to the City, Pikes Peak Regional Building Authority or any other governmental agency is required, those plans must be reviewed and approved by the DRB first. Exceptions to this must be granted in writing from the DRB.

- Code Section 309 C

Provide inspection affidavit by qualified designer.

- Code Section 311 B

The landscape plan shall present a site-adapted design with regard to soil type, microclimate, vegetative cover, efficient water use, grouping of signature plants.

- Policy 311 G

Develop a plan that takes into account both the regional climate and the microclimate of the site, existing vegetation and topography, the proposed use of the property, and grouping plants.

- Code Section 312 A

The required landscape plan shall be prepared by a person who meets the qualifications established in the professional qualifications standards of the landscape policy manual.

- Policy 312

Professional qualifications needed to prepare required plans. Qualifications shall be certified and submitted with the plan on Appendix 1.

- Code Section 313 C

The landscape grading plan shall be consistent with the landscape and irrigation plans and shall ensure: the provision of adequate and proper drainage for survival of plant material, the stockpiling and redistribution of beneficial topsoil, the mitigation of slopes that are difficult to vegetate or irrigate, or would result in water runoff onto paved surfaces.

Group Plants Accordingly / Hydrozoning

- Policy 311

Develop a Schematic Landscape Diagram of the site that shows the general location and type of each plant community and hydrozone to be used. The diagram must be submitted.

- Code Section 312 E

Plants with similar water needs within each site microclimate shall be zoned or grouped together for efficiency of water application, to prevent water waste and to provide optimum application of water to the plants.

Case Study Methodology

Regulation

- Analysis of the three selected landscape regulations:
 - Pine Creek After 1998
 - Cordera After 1998 + Development Regulations
 - Briargate Business Campus Before 1998
- Simple one point scoring system to identify strengths and weaknesses in regulations based on:

Citations

Submittals

Inspections

											\	Vater	r-Wis	e Lai	ndsc	aping	g Cat	egori	ies									
Landscape Tract Regulations	Pla	anning Desigi		A	oup Pla ccordin drozor	gly/		opriate Selectio		Thos		eas to led for Jses	USE	of Efficient			dule Irri Wisely	gation		Analyse provem		Us	e of Mu	ılch		ide Re aintena		Total Score
	С	S	- 1	С	S	- 1	С	S	- 1	С	S	1	С	S	- 1	С	S	- 1	С	S	- 1	С	S	- 1	С	S	- 1	
Pine Creek City Regulations After 1998	3	1	1	1	1	-1	2	- 1	0	2	0	0	1	1	2	2	0	0	3	2	0	2	0	0	2	0	1	29
Cordera City Regulations After 1998 +																												
Development Regulations	5	2	1	1	1	1	2	1	0	2	0	0	4	1	2	2	0	0	4	2	0	2	0	0	2	0	1	36
Briargate Business Campus City																												
Regulations Before 1998	1	2	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6

Strength of Regulation Scoring
1 point for citation (C)

1 point for required submittal (S)

1 point for required inspection (I)


Introduction

Intent

Methods

Results

Conclusions



Case Study Methodology

Landscape Evaluation: Design, Installation, Maintenance

- Measure of regulation compliance through document review, correspondence, and on site evaluations
- Simple scoring system based on 0 points for non-compliance and 1 point for compliance
- Evaluation sheets used to record field observations and correspondence
- Identify strengths and weaknesses

Landscape Design Evaluation			Water-Wise Lands	cape Ca	tegories								
La Diata Danastica	Planning	Group p	Appropriate	Schedule	Soil Analyse	S Lloc of	Provide _	otal					
La Plata Properties	and Design	accordi Hydrozo	Landscape Design Evaluation				Water-Wise	e Landso	ape Cate	egories			
Pine Creek City Regulations after 1998	1'		La Plata Properties	Planning and Design	Group plants accordingly/ Hydrozoning		Limit Turf Areas to Those Needed for Practical Uses		Schedule Irrigation Wisely	Soil Analyses and Improvement	Use of Mulch	Provide Regular Maintenance	Total Score
Cordera City Regulations after 1998 + Development Guidelines	11		Pine Creek City Regulations after 1998	4.	, ,		4+	Systems	4*				
Briargate Business Campus City Regulations before 1998	1*		Cordera City Regulations after 1998 + Development Guidelines	1*	1	1	1*	1*	1*	1	1	1	-
1 = Regulation compliance 0 = Non-compliance			Briargate Business Campus City Regulations before 1998	1*	1*	0	0	1*	0	0	1	1	Ę

- * Indicates that category was met but could be improved upon see ev
- Sliding Scale With Level of Application 0-9 (9 being the strongest 1 = Regulation compliance
 - 0 = Non-compliance

Sliding Scale With Level of Application 0-9 (9 being the strongest relationship between regulation and designed landscape)

Cordera Grand Cordera	Landscape On Site Evaluation Sheet		
	Observations	Photo #'s	Score
1 Planning and Design			
The landscape represents a site adapted design	Landscape uses a blend of native turf, drought tolerant plants,		T
with regard to soil type, microclimate, vegetative	and turf grass. Landscapes installed according to plan.		
cover, efficient water use, grouping of plants.		Cordera 1.1, 1.2	
Mitigation of slopes that are difficult to vegetate or	No slopes that exceed maximum standard.		
irrigate, or would result in water runoff onto paved			
surfaces.			
2 Group Plants Accordingly / Hydrozoning			
Plants with similar water needs within each site	Plants grouped according to approved designs. Approved		
micro-climate are zoned or grouped together.	designs group Plants effectively into hydrozones.	Cordera 2.1, 2.2	
3 Appropriate Plant Selection			
Landscape reflects the ecological context of the site	Native plant communities are represented in some of the plant		
using diverse plant species that are indicative of	material, but the overall planting scheme is not indicative of		
local plant communities. Based on the Landscape	surroundings.		
Code and Policy Manuals Prairie Region Plant			
Community.			
Develop a project plant list from 1998 Landscape	Designed and installed according to regulations.		1
Code and Policy Manual to satisfy site category			1
requirements. At least 60% of the trees and 60% of			
the shrubs must be signature plants for the chosen plant communities.			1 .
	deal Hara		
4 Limit Turf Areas to Those Needed for Prac		1	
High water use turf is limited to high traffic or	High water use turf was limited to entry ways and used as a design element within the landscape to balance native turfs. Turf		
recreational areas, drainage swales or other appropriate uses.	not always limited to practical areas.	Cordera 4.1, 4.2	1 .
No more than 50% of the entire site is covered in	not always limited to practical aleas.	Coluela 4.1, 4.2	
high water use turf.			
Turf is limited to slopes less than 6:1.			+ -
Turf is limited to slopes less than 0.1. Turf is limited to medians greater than 12' in width.			.
Turf is prohibited in configurations that cannot be	Opportunities for improvement but the majority of turf areas can		+
efficiently irrigated.	be irrigated efficiently.	Cordera 4.3, 4.4	
Turf is prohibited in motor vehicle lot planters that	no irrigated emoleraly.	501d01d 4.5, 4.4	_
are less than 8' in width.			
Limited amounts of turf in street right-of-ways where			
the distance between the curb and detached			
sidewalk is less than 8'.			1 '
5 Use of Efficient Irrigation Systems			
Method of irrigation matched to size and shape of	All shrub beds on drip irrigation.		
area and plant material, and for uniformity			
coverage.			
Use of rain sensors on all system controllers.	Irrigation controllers all utilize rain sensors.		
6 Schedule Irrigation Wisely			
Established irrigation schedules.	Schedules established on landscape designs and adjusted in		
	the field. Native turf areas are on scheduled irrigation in April		
	and May.		1 .
7 Soil Analysis and Improvement			
Turf grass soil amended appropriately.			
Soil analyzed and amended appropriately.	Soil was inspected and amended according to Code Section		
8 Use of Mulch	315.		
	Mulahan applied only when required by account to	I	
Apply and maintain organic mulches at appropriate depths in planting beds to assist soils in retaining	Mulches applied only when requested by community home owners association. Mulch depth was sufficient upon evaluation.		1
depths in planting beds to assist soils in retaining water, reduce weed growth, and prevent erosion.	owners association. Muich depth was sufficient upon evaluation.		
water, reduce weed growth, and prevent erosion.			
9 Provide Regular Maintenance	·		
Pruning	Plant material was well maintained and pruned.		T .
Weeding	Weeding done on a weekly basis with pre-emergent being used		+
rrocally	routinely.		
Mulching	Mulch only when needed. New mulch was laid down in 2007.		
mananing	Mulch depth was good overall.		1 .
	System checks four days a week according to landscape		+
Irrigation system maintenance	ISVStem checks four days a week according to landscape		

Cordera Grand Cordera On-Site Evaluation

Xeriscape vs. Native Plant Communities





1.1

Plant Groupings





Impractical Turf Areas





4.3

Inefficient Turf Configurations





4.4

Landscape Design Evaluation				Water-Wise	Landso	ape Cate	egories			
La Plata Properties	Planning and Design	Group plants accordingly/ Hydrozoning	Appropriate Plant Selection	Limit Turf Areas to Those Needed for Practical Uses	ETTICION	WISHW	Soil Analyses and Improvement	Use of Mulch	Provide Regular Maintenance	Total Score
Pine Creek City Regulations after 1998	1*	1	1	1*	1*	1*	1	1	1	9
Cordera City Regulations after 1998 + Development Guidelines	1*	1	1	1*	1*	1*	1	1	1	9
Briargate Business Campus City Regulations before 1998	1*	1*	0	0	1*	0	0	1	1	5

^{1 =} Regulation compliance

Sliding Scale With Level of Application 0-9 (9 being the strongest relationship between regulation and designed landscape)

* Indicates that category was met but could be improved upon - see evaluation forms for more information

Landscape Site Evaluation				Water-Wise	Landso	ape Cate	egories			
La Plata Properties	Planning and Design	Group plants accordingly/ Hydrozoning	Appropriate Plant Selection	Limit Turf Areas to Those Needed for Practical Uses	Efficient	Schedule Irrigation Wisely	Soil Analyses and Improvement	Use of Mulch	Provide Regular Maintenance	Total Score
Pine Creek City Regulations after 1998	1*	1	1*	1*	1*	1*	0	1*	1	8
Cordera City Regulations after 1998 + Development Guidelines	1*	1	1*	1*	1*	1*	1	1	1	9
Briargate Business Campus City Regulations before 1998	0	1*	0	0	0	0	0	1	0	2

^{1 =} Regulation compliance


Sliding Scale With Level of Application 0-9 (9 being the strongest relationship between regulation and built landscape)

* Indicates that category was met but could be improved upon - see evaluation forms for more information

^{0 =} Non-compliance

^{0 =} Non-compliance

Cordera Water Use Comparison with Turfgrass E.T. 2006 -2007 Averages



Introduction


Intent

Methods

Results

Conclusions

Regulation Water Use Comparison Chart 2006-2007 Averages



Case Study Methodology

Water Use

- Historical water use for 2006 and 2007 growing season
- Two comparisons
 - 1. Turfgrass E.T.
 - 2. Three regulations
- Excel charts and graphs
- · Identify effectiveness in terms of water saved

		Cordera 2007			Springs E.T.	Colorado Springs Average E.T. for 2006 - 2007 Growing Season
April	0.00	0.69	0.34	4.26	3.09	3.68
May	0.32	0.56	0.44	5.39	4.62	5.01
June	5.00	4.93	4.97	6.89	5.74	6.32
July	3.07	5.24	4.15	6.41	6.49	6.45
August	3.30	3.51	3.41	5.31	6.17	5.74
September	2.52	0.12	1.32	3.41	4.57	3.99
October	0.75	0.11	0.43	2.25	2.93	2.59
Total Water Use	14.95	15.15	15.05	33.92	33.61	33.77

^{*} All Water Use Numbers Expressed in Inches Per Square Foot Red numbers indicate missing data that was estimated from previous years water use data



Introduction

Intent

Methods

Results

Conclusions

											V	Vate	r-Wis	e Lar	ndsc	aping	g Cat	egori	ies									
Landscape Tract Regulations		nning a Design		Ad	oup Pla cording drozon	ıly/		opriate Selectio		Those	Turf An e Need ctical U	ed for	Use	of Efficient			lule Irri Wisely			nalyse		Us	e of Mu	ılch		ide Re		Total Score
	С	S	1	С	S	- 1	С	S	- 1	С	S	- 1	С	S	1	С	S	- 1	С	S	1	С	S	- 1	С	S	- 1	
Pine Creek City Regulations After 1998	3	- 1	- 1	1	1	1	2	- 1	0	2	0	0	1	- 1	2	2	0	0	3	2	0	2	0	0	2	0	1	29
Cordera City Regulations After 1998 + Development Regulations	5	2	1	1	1	1	2	1	0	2	0	0	4	1	2	2	0	0	4	2	0	2	0	0	2	0	1	36
Briargate Business Campus City Regulations Before 1998	1	2	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6

Strength of Regulation Scoring	
1 point for citation (C)	
1 point for required submittal (S)	
1 point for required inspection (I)	

Results

Regulation


- The evaluation scores indicated that the post 1998 city regulations + development guidelines had the highest utilization of the water-wise categories (36) followed by:
 - City landscape regulations post 1998 (29)
 - City and development regulations pre 1998 (6)

Key Strengths

 Pine Creek and Cordera (post 1998) both had very strong scores in the Planning and Design, Soil Analysis and Improvement and Use of Efficient Irrigation System categories


Key Weaknesses

- Briargate Business Campus (pre 1998) had a very low overall score
- All three regulations didn't require the submittal or inspection of irrigation schedules
- All three regulations didn't require an inspection of the soil amendment process during construction



											V	Vater	-Wis	e Lai	ndsc	aping	g Cat	egori	ies									
Landscape Tract Regulations	Pl	anning a Design		Ac	oup Pia cordin drozor	gly/		opriate Selectio		Thos	Turf An e Need ctical U	ed for		of Efficient		Sched	tule Im Wisely			Analyse provem		Us	e of M	ulch		ide Rei Intenar		Total Score
	С	8	- 1	С	8	- 1	С	8	- 1	С	8	1	С	8	- 1	С	8	- 1	С	8	1	С	8	- 1	С	8	- 1	
Pine Creek City Regulations After 1998	3	1	1	1	- 1	1	2	1	0	2	0	0	1	- 1	2	2	0	0	3	2	0	2	0	0	2	0	1	29
Cordera City Regulations After 1998 + Development Regulations	5	2	1	1	1	1	2	1	0	2	0	0	4	1	2	2	0	0	4	2	0	2	0	0	2	0	1	36
Briargate Business Campus City Regulations Before 1998	1	2	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	6


Strength of Regulation Scoring
1 point for citation (C)
1 point for required submittal (S)
1 point for required inspection (I)



Results

Key Strengths

- Pine Creek and Cordera (post 1998)
 both had very strong scores in the
 Planning and Design, Soil Analysis and
 Improvement and Use of Efficient Irrigation System categories
- Pine Creek and Cordera (post 1998) scored high in the submittal and inspection categories
- Pine Creek and Cordera (Post 1998) regulations showed a diversity in the written guidelines, codes, and policies
- Post 1998 regulations showed a significant number of codes and policies enforcing the written citations



Key Weaknesses

- Briargate Business Campus (pre 1998) had a very low overall score
- Low overall score in the schedule irrigation wisely categories

Results

Short Fall Property

Introduction

Intent

Methods

Results

Conclusions

Landscape Evaluation: Design

· Designs for all three regulations showed compliance

Landscape Design Evaluation				Water-Wise	Landso	ape Cate	egories			
La Plata Properties	Planning and Design	Group plants accordingly/ Hydrozoning	Appropriate Plant Selection	Limit Turf Areas to Those Needed for Practical Uses	Use of Efficient Irrigation Systems	Schedule Irrigation Wisely	Soil Analyses and Improvement	Use of Mulch	Provide Regular Maintenance	Total Score
Pine Creek City Regulations after 1998	1*	1	1	1*	1*	1*	1	1	1	0
Cordera City Regulations after 1998 + Development Guidelines	1*	1	1	1*	1*	1*	1	1	1	9
Briargate Business Campus City Regulations before 1998	1*	1*	0	0	1*	0	0	1	1	5

^{1 =} Regulation compliance

Sliding Scale With Level of Application 0-9 (9 being the strongest relationship between regulation and designed landscape)

Landscape Evaluation: Installation, Maintenance

- Pine Creek and Cordera (Post 1998) regulations and guidelines showed compliance in all nine categories excluding the soil analysis and improvement category in the Pine Creek (city regulations post 1998) landscape tracts
- Briargate Business Campus (Pre 1998) regulations and guidelines indicated compliance in 2 of the 3 water-wise categories that were found in the regulations. Indicating a lack of enforcement in the regulations and guidelines in the irrigation category

Landscape Site Evaluation				Water-Wise	e Landsc	ape Cate	egories			
La Plata Properties	Planning and Design	Group plants accordingly/ Hydrozoning	Appropriate Plant Selection	Limit Turf Areas to Those Needed for Practical Uses		Schedule Irrigation Wisely	Soil Analyses and Improvement	Use of Mulch	Provide Regular Maintenance	Total Score
Pine Creek City Regulations after 1998	1*	1	1*	1*	1*	1*	0	1*	1	
Cordera City Regulations after 1998 + Development Guidelines	1*	1	1*	1*	1*	1*	1	1	1	
Briargate Business Campus City Regulations before 1998	0	1*	0	0	0	0	0	1	0	

^{1 =} Regulation compliance

Sliding Scale With Level of Application 0-9 (9 being the strongest relationship between regulation and built landscape)

^{0 =} Non-compliance

^{*} Indicates that category was met but could be improved upon - see evaluation forms for more information

^{0 =} Non-compliance

^{*} Indicates that category was met but could be improved upon - see evaluation forms for more information



Conclusions

Introduction

Intent

Methods

Results



Conclusions

Effectiveness

Evaluated landscape regulations and guidelines created after 1998 were effective tools for conserving water

Evaluated landscape regulations and guidelines created before 1998 were not effective tools for conserving water

Changes to the City Landscape Code and Policy Manual in 1998 had a significant impact on the effectiveness of landscape regulations

Major Factors Contributing To The Success Of Policies and Regulations

- Diversity of Water-Wise Categories
- Significant representation of both citations and enforcement in the landscape regulations and guidelines
- Xeriscape principles more effective when working as a system.
- Creation and enforcement of landscape management plans
- Wholistic approach to regulations. Design, Implementation, Maintenance.

Recommendations

- Diversity
- Balance
- · Management regulation and enforcement
- Pine Creek and Cordera are working examples

CREDITS:

Landscape Trial Photos

http://www.ncwcd.org/ims/ims_turfandurban_demos.asp

Horsetooth Reservoir

http://radio.weblogs.com/0101170/images/water/horsetoothreservoir.jpg

Map of Colorado

Photographer; Cartesia

EDAW/AECOM

DHM Design

A SPECIAL THANK YOU.....

Water Returns Briargate Communities La Plata Investments



A LOOK INTO WATER CONSERVATION: AN EVALUATION OF LANDSCAPE WATER REGULATIONS

CONTACT INFORMATION:

JOE SCHNEIDER ASLA P: 785-341-1739 joeschneider9@gmail.com

WILLIAM (CHIP) WINSLOW, FASLA, RLA P: 785.532.2447 chipwin@ksu.edu